



GeForce™ 9400 GT

UP TO 1GB [128bit] GRAPHICS CARD

Bus
PCI-E 2.0
Profile
Low
Output
DVI

XFx Part Numbers:

PV-T94G-ZAF(*)
PV-T94G-YAJ(*)
PV-T94G-YHH(*)
PV-T94G-YAL(*)
PV-T94G-YDF(*)
PV-T94G-UAL(*)



Graphics for the Masses.

The XFX GeForce® 9400 GT powers HD gaming and entertainment setting a standard for the masses. With up to 2x performance increase over the GeForce® 8400 GS, this media friendly graphics card will leave any avid gamer/entertainment lover breathless. Experience the thrill and vibrance as your PC comes to life.

- Unified Architecture
- Lumenex Engine
- 128-bit High Dynamic-Range Rendering
- Quantum Engine: Embedded Physics features
- Turbocache 256MB models: supports up to 512MB
- DirectX 10 support
- HDCP Capable



GeForce™ 9400 GT

UP TO 1GB [128bit] GRAPHICS CARD



VGA S-Video DVI

PV-T94G-YAL(*) shown here



HDTV Ready and HD Gaming

High-definition video playback and crisp picture quality. Provides world-class TV-out functionality up to 1080i resolution.



Dual-Link Technology

Supporting digital output up to 2560x1600 on one LCD Monitor.



PhysX

NVIDIA's new GPU PhysX™ technology that renders convincing facial expressions, multiple ultra-high polygon characters in complex environments and convincing physical effects like weather and explosions. NVIDIA PhysX drivers are required to experience in-game GPU PhysX acceleration.



CUDA

NVIDIA CUDA™ technology and the new CUDA enables programmers to offload the most intensive processing tasks from their CPU to their GPU, putting the power of up to 240 multi-threaded processor cores to work for you.



XFX GeForce™ 9400 GT

PV-T94G-YAL(*) shown here

PCI-Express 2.0 Cardbus Connector



PV-T94G-YDF(*) shown here



Optional Low Profile Kit
PN# MA-BK01-LP1K

XFX Products Chart for this Chipset

Model Number	Packing	Version	Engine				Memory				Cooling	Output	Profile	SLI	Max Res.	Card Dimension
			Clk(MHz)	Bus	Type	Size	Speed**	Shader Clk	Size	Speed**						
PV-T94G-ZAF(*)	(G)(7)	Standard	550	128bit	DDR2	1GB	800MHz	1350MHz	Fansink	S-Video, DVI, VGA, HDTV	Low	No	2560x1600	16.8x 6.93x 1.9 cm		
PV-T94G-YAJ(*)	(3)	Standard	550	64bit	DDR2	512MB	800MHz	1400MHz	Fansink	S-Video, DVI, VGA, HDTV	Low	No	2560x1600	16.8x 6.93x 1.9 cm		
PV-T94G-YHH(*)	(G)	Standard	550	64bit	DDR2	512MB	800MHz	1400MHz	Fansink	S-Video, DVI, VGA, HDTV	Standard	No	2560x1600	17.3x 11x 1.9 cm		
PV-T94G-YAL(*)	(G)(3)	Standard	550	128bit	DDR2	512MB	800MHz	1400MHz	Fansink	S-Video, DVI, VGA, HDTV	Low	No	2560x1600	16.8x 6.93x 1.9 cm		
PV-T94G-YDF(*)	(3)	Standard	550	128bit	DDR3	512MB	1.4GHz	1400MHz	Fansink	S-Video, DVI, VGA, HDTV	Standard	No	2560x1600	17.3x 11x 1.9 cm		
PV-T94G-UAL(*)	(G)	Standard	550	128bit	DDR3	256MB TC	1.4GHz	1400MHz	Fansink	S-Video, DVI, VGA, HDTV	Low	No	2560x1600	16.8x 6.93x 1.9 cm		

* Insert Packing Code reference here for the complete model number. See XFXforce.com regarding package contents for each model. All XFX graphics cards include a Serial Number Door Hanger or Card for convenient reference. Game bundles may be included with certain models/packing during promotional periods.

** Optimal memory speed. Actual speed may vary.

*** Specifications subject to change without notice. See XFXforce.com for the latest information.

